

Charging Cable Mode 3

Type 2-Type 1 32A 1PH 7.5m



MENNEKES charging cable Mode 3
For the charging of electric and
hybrid vehicles at charging stations.

- According to Mode 3 (IEC 61851)
- Vehicle end: vehicle connector type 1 (IEC 62196-2) with protective cap
- Infrastructure end: EV plug type 2 (IEC 62196-2)
- Charging current 32 A
- Single phase
- Cable length 7.5 m

MENNEKES
Elektrotechnik GmbH & Co. KG
Spezialfabrik für Steckvorrichtungen
Aloys-Mennekes-Str. 1
D-57399 Kirchhundem

Tel. +49 (0) 27 23 / 41-1
Fax +49 (0) 27 23 / 41-2 14
E-Mail info@MENNEKES.de
Internet www.MENNEKES.de

Service by
MENNEKES®.
Always well
informed.


Technical changes reserved

Art.-Nr. 36283

Technical Data

Type	Charging Cable Mode 3 Type 2-Type 1 20A 1PH 7.5m
Part number	36283
Rated voltage	250 V AC
Rated frequency	50 Hz
Rated current	20A
Contact surface material Type 1 Connector	Ag
Cable cross-section	10,2 mm +/- 0,6 mm
Marking	BALZER KABELWERK MEISSEN VDE- REG.-Nr. 8807 EVCZ5 3G2,5+0,5 450/750 V CE ww/jj
Color housing	blue, black
Charging mode	Mode 3 acc. IEC 61851-1
Plugs and sockets	acc. IEC 62196-2
Ambient temperature	-30°C ... +50°C
Protection class	IP44 plugged IP20 unplugged IP44 with protective cap
weight	1.750 g

Delivery Contents



- A Mode 3 charging cable
- B Operating manual