


Compact Rx

The MENNEKES Compact Wallbox is a charging station for use in private and semi-public areas, such as private land, company car parks and depots.



- Charging acc. Mode 3 (IEC 61851)
- Vehicle connectors acc. IEC 62196
- Integrated cable suspender
- Status information through LED
- RCD Type B included for installation in the upstream power distribution

Optional:

- Permanently connected charging cable with connector type 2 (Length 5m)
- Permanently connected charging cable with connector type 1 (Length 5m)
- Charging power up to 7,4 kW


TECHNICAL DATA

Item Number	1359204	1359205	1359104
Charging power Mode 3	3,7 kW	7,4 kW	3,7 kW
	Type 2	Type 2	Type 1
Rated voltage U_n	230 V AC $\pm 10\%$	230 V AC $\pm 10\%$	230 V AC $\pm 10\%$
Rated frequency f_n	50 Hz		
Rated current I_{nA}	16 A	32 A	16 A
Charging current Mode 3 I_{nC}	16 A, 1 ph	32 A, 1 ph	16 A, 1 ph
Protection	RCD Type B (for the installation in the upstream power distribution)		
Degree of protection	Enclosure IP 54 Plug IP 44 (with protective cap)		
Protection class	II		
Dimensions	280 mm x 260 mm x 110 mm (H x W x D)		
Rated impulse withstand voltage U_{imp}	4 kV		
Rated short circuit current I_{cc}	10 kA		
Rated diversity factor RDF	1		
Pollution degree	3		
Earthing system	TN/TT		
Condition of installation	Stationary equipment		
Usage	ACSEV		
Mounting method	wall mounting, surface mounting		
EMC classification	A+B		
Rated insulation voltage U_i	500 V		
Maximum cable cross-sections at the terminals	Rigid	3 x 6 mm ²	
	Flexible	3 x 4 mm ²	

ENVIRONMENTAL CONDITIONS


Ambient air temperature	-25 ... +40 °C
Average temperature within 24 hours	< 35 °C
Storage temperature	-25 ... +40 °C
Altitude	max. 2.000 m above sea level
Relative humidity	max. 95 % (non-condensing)

DELIVERY CONTENTS




1. Device
2. Bag containing fixing material
3. Operation and installation manual
4. Drilling jig
5. Key
6. Residual current device (RCD) type B
7. Cable holder

DIMENSIONS





CHARGE UP YOUR DAY!



Thousands of MENNEKES charging points are in daily use in Europe, delighting users in their diverse life situations.

As an innovative leader we offer a broad portfolio of charging solutions for the private and public applications



Charge up your day with MENNEKES, the specialist for
Intelligent eMobility charging solutions.

MENNEKES

Elektrotechnik GmbH & Co. KG
Industrial plugs and sockets

Aloys-Mennekes-Str. 1
57399 Kirchhundem
GERMANY

Tel.: +49(0)2723/41-1
Fax: +49(0)2723/41-2 14
E-Mail: info@MENNEKES.de

WWW.MENNEKES.DE
WWW.CHARGEUPYOURDAY.DE